

Convertisseur Parallèle vers USB: DB25 mâle vers USB B mâle, LPT2USB, pour l'Europe

Numéro d'article USB-0529



Description du produit

Convertisseur Parallèle LPT vers USB: DB25 mâle vers USB B mâle (LPT2USB, Rev.2, AK-NORD), adaptateur pour connecter une nouvelle imprimante (USB) à un port parallèle vieux (LPT)

Key Features

- to use USB printers at parallel ports (LPT)
- LPT to USB cable
- DB25 male (connection PC)
- USB plug B (connection printer)
- no software or drivers required
- with power supply
- cable length 1.8 meter
- only for printing function

LPT2USB cable

Adapter to connect printers and multifunction printers with an USB connection to the LPT(parallel) interface of PCs, measuring devices, laboratory and diagnostic devices, control panels, medical devices as well as all other products with a parallel interface.

Connectors

1 x 25 pole SUB-D Plug IEEE-1284 - A

1 x USB-B plug

Power supply

110-240V / 50/60Hz

Output 5Volt / about 100 mA

Cable length about 1.8m

USB - interface

USB-1.0 Low-Speed

USB-1.1 Low/ Full-Speed

USB-2.0 Low / Full-Speed

Plug: USB - B

USB cable length about 1.8m

Low-Speed 1.5 MBit/sec

Full-Speed 12 MBit/sec

LPT (parallel) - interface

01 Unidirectional

02 Bidirectional

03 1284.4 Bidirectional

Plug: 25 pole SUB-D IEEE-1284 - A

Funktion printing

SPP

ECP

IEEE1284

IEEE1284.4

Bidirectional

Nibble-Mode

Byte-Mode

ECP-Reverse

BECP-Reverse

Note

For all operating systems. No drivers and no software are required.

Scanning, PC fax and software toolboxes are not supported.


GDI printer (without own emulation) are not supported.

Plus d'images





LPT to USB



DB25 LPT